

# Mavrik®

## Perimeter



## Supplemental Labeling

**For commercial use only for perimeter treatment to include outside surfaces – Using cold foggers or other ULV delivery systems**

EPA Reg. No. 2724-478

All label restrictions and Directions for Use of Mavrik® Perimeter apply.

### Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### Important

Before using this product, read and carefully observe all applicable directions, restrictions, and Precautionary Statements on the Mavrik® Perimeter EPA-registered label.

CROP/SITE	PEST	AMOUNT MAVRIK® PERIMETER IN WATER TO MAKE		SPECIFIC DIRECTIONS
		5 GALLONS	1 GALLON	
<p><b>For Outdoor Applications:</b> Use lower rates and greater re-treatment intervals for light to moderate insect pressures. Use higher rates and shorter re-treatment intervals for unexposed insects and heavy pressures of other insects. Mite suppression can be obtained using the lower rate; for more residual control of mites, use up to 0.5 fl oz/5 gallons water [0.1 fl oz/1 gallon of water].</p>				
Perimeter Treatments to include Outside Surfaces	Aphids, Thrips, Mites Clover Mites, Two-Spotted Spider Mites, Whiteflies, Mealybugs, Leaf-Feeding Caterpillars, (i.e. Tent, Orlando, Gypsy Moth, Bagworm, Canker Worm, etc.), Ticks, Brown Dog Ticks, American Dog Ticks, Deer Ticks, Fleas, Ants, Fire Ants, Crickets, Armyworms, Cutworms, Springtails, (Collembola)*, Adelgids, Mosquitoes, Chiggers*, Earwigs, Lygus Plant Bugs, Beetles (Flea, Cucumber, Elm Leaf), Leafhoppers, Weevils*, (Strawberry Root, Obscure Root, Blackvine Root), Psyllids, Millipedes*, American Cockroaches, Smoky Brown Cockroaches, Oriental Cockroaches,	0.2-0.5 fl oz (1 1/3-3 teaspoons) (6-15 ml)	.04-0.1 fl oz (1/3-2/3 teaspoons) (1.2-3 ml)	<p>Apply Mavrik® Perimeter to perimeters and outside surfaces of residential, non-commercial, and commercial buildings such as industrial offices, institutional buildings, private homes, duplexes, townhouses, condominiums, house trailers, apartment complexes, carports, garages, storage shed, patios.</p> <p>Apply Mavrik® Perimeter using a low pressure, coarse fan spray, applied in even bands to surfaces and perimeters where pests are a problem. Apply the spray mixture at a volume equivalent to 5 gallons per 1,000 square feet. Depending on the severity of pest infestations, a re-treatment may be necessary at 7-14 days. Apply no more than 4 times per month or no more than 20 times per year. Typical re-treatment interval is 28 days.</p> <p><b>When using cold foggers or other ULV delivery systems for perimeter applications, apply the labeled amount of Mavrik® Perimeter over the square footage with the equipment manufacturer's requirement of water. Follow manufacturer's calibration procedures.</b></p>

Continued on reverse side.

CROP/SITE	PEST	AMOUNT MAVRIK® PERIMETER IN WATER TO MAKE		SPECIFIC DIRECTIONS
		5 GALLONS	1 GALLON	
	Boxelder Bugs, Spiders, Silverfish, Firebrats, Chinch Bugs, Asian Lady Beetles*, Sowbugs, Glassy-Wing Sharpshooters  * Except in California	0.2-0.5 fl oz (1 1/3-3 teaspoons) (6-15 ml)	.04-0.1 fl oz (1/3-2/3 teaspoons) (1.2-3 ml)	<p>Perimeter applications are made to a band of soil and/or vegetation 6 to 10 feet wide around and adjacent to the structure. Higher volumes of water may be needed if mulch or leaf litter is present or foliage is dense. These sites may include refuse dumps, vegetation areas, soil, trunks of woody ornamentals, and fence lines adjacent to or around the structure, and other areas near a structure where pests congregate or have been seen.</p> <p>Surface applications can be made to all outside surfaces of structures listed above and includes porches, window and door frames, eaves, and foundations. Apply as a crack and crevice treatment using a pinstream nozzle to pest harborage sites. Refrain from applying to the point of runoff.</p>

**Registrant:**

**Wellmark International**  
 1501 East Woodfield Road 200W  
 Schaumburg, Illinois 60173

***This labeling must be in the possession of the user at the time of pesticide application.***