

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Trade name : Prenfish Fish Toxicant  
Synonyms : 100526526, 100526527, 100526529, 100526560, 100534458, EPA Reg. No.: 89459-85, RF2232 LIQUID FT

#### 1.2. Recommended use and restrictions on use

Recommended use : Piscicides.  
Restrictions on use : Keep out of reach of children. Avoid inhalation of vapors or fumes. Use in well ventilated area. Avoid all contact with skin, eyes, or clothing.

#### 1.3. Supplier

Central Garden & Pet Company  
1501 E. Woodfield Road, Suite 200W  
Schaumburg, IL 60173 - United States

www.zoecon.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-248-7763  
1-800-424-9300 - CHEMTREC  
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Acute toxicity (oral) Category 3	Toxic if swallowed
Acute toxicity (inhalation) Category 2	Fatal if inhaled
Serious eye damage/eye irritation Category 2B	Causes eye irritation
Carcinogenicity Category 2	Suspected of causing cancer
Specific target organ toxicity (single exposure) Category 3	May cause drowsiness or dizziness
Specific target organ toxicity (single exposure) Category 3	May cause respiratory irritation
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : Toxic if swallowed  
May be fatal if swallowed and enters airways  
Causes eye irritation  
Fatal if inhaled  
May cause respiratory irritation  
May cause drowsiness or dizziness  
Suspected of causing cancer

Precautionary statements (GHS US) : Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash hands, forearms and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If swallowed: Immediately call a poison center or doctor.

# Prenfish Fish Toxicant

## Safety Data Sheet

If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If exposed or concerned: Get medical advice/attention.  
Immediately call a poison center or doctor.  
Rinse mouth.  
Do NOT induce vomiting.  
If eye irritation persists: Get medical advice/attention.  
Store in a well-ventilated place. Keep container tightly closed.  
In case of inadequate ventilation wear respiratory protection.  
Store locked up.  
Dispose of contents/container to in accordance with local/regional/national/international regulations.

### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This product is extremely toxic to fish and other aquatic organisms. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Rotenone	(CAS-No.) 83-79-4	5
Cube Resins other than rotenone	(CAS-No.) N/A	5
Benzyl alcohol	(CAS-No.) 100-51-6	20
Propylene Glycol	(CAS-No.) 57-55-6	10
Solvent naphtha	(CAS-No.) 64742-94-5	52.79
Naphthalene	(CAS-No.) 91-20-3	0.53
Other ingredients	(CAS-No.) N/A	Balance

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a physician immediately. Call a doctor. Call a POISON CENTER or doctor/physician if you feel unwell.  
First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.  
First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Call a physician immediately. Do not induce vomiting. Do NOT induce vomiting unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause drowsiness or dizziness.  
Symptoms/effects after inhalation : Fatal if inhaled. Causes dizziness or drowsiness if inhaled at non-lethal doses. Causes respiratory irritation if inhaled at non-lethal doses.  
Symptoms/effects after eye contact : Mild eye irritation.  
Symptoms/effects after ingestion : Toxic if swallowed. Risk of lung edema.  
Chronic symptoms : May cause cancer.

### 4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Avoid heavy hose streams.

# Prenfish Fish Toxicant

## Safety Data Sheet

### 5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not allow fire fighting water to escape into waterways or sewers. LARGE FIRES: Move containers from fire area if you can do it without risk. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray. Keep unauthorized personnel away.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Do not breathe dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

Emergency procedures : As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Do NOT wash away into sewer. Avoid release to the environment. Evacuate unnecessary personnel. Stay upwind. Stop leak if safe to do so. Wear appropriate personal protective equipment, avoid direct contact.

### 6.2. Environmental precautions

Avoid release to the environment. Do not allow runoff into water, storm drains or drainage ditches.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Do not flush to sewer or allow to enter waterways. Wear appropriate personal protective equipment, avoid direct contact. Notify authorities if product enters sewers or public waters.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Do not store near heat or open flame. Keep from freezing. Keep only in original container. Protect from sunlight. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Incompatible materials : Strong acids. Strong oxidizers. Heat, sparks, open flame.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Rotenone (83-79-4)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (commercial)
ACGIH	Remark (ACGIH)	URT & eye irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
IDLH	US IDLH (mg/m <sup>3</sup> )	2500 mg/m <sup>3</sup>
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Benzyl alcohol (100-51-6)		
AIHA	WEEL TWA (ppm)	10 ppm
Propylene Glycol (57-55-6)		
AIHA	WEEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

# Prenfish Fish Toxicant

## Safety Data Sheet

Naphthalene (91-20-3)		
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	Remark (ACGIH)	Hematologic eff; URT & eye irr; Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	10 ppm
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	75 mg/m <sup>3</sup>
NIOSH	NIOSH REL (STEL) (ppm)	15 ppm

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear chemical resistant gloves made out of barrier laminate, nitrile rubber < or equal to 14 mils, neoprene rubber < or equal to 14 mils or Viton < or equal to 14 mils

#### Eye protection:

Wear chemical splash safety goggles. Safety glasses

#### Skin and body protection:

Coveralls, over long-sleeved shirt and long pants

#### Respiratory protection:

Mixers loaders, applicators and other handlers (except pilots): wear a NIOSH approved particulate respirator with any N, R or P filter with NIOSH approval prefix TC-84A or NIOSH approved powered air purifying respirator with HE filter with NIOSH approval prefix TC-21C. Wear respiratory protection. In case of insufficient ventilation, use NIOSH approved respiratory protection.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear amber liquid
Color	: Amber
Odor	: Strong, unpleasant, petroleum gas-like
Odor threshold	: No data available
pH	: 6.87 @ 23.4°C
Melting point	: Not applicable

# Prenfish Fish Toxicant

## Safety Data Sheet

Freezing point	: No data available
Boiling point	: No data available
Flash point	: 112°C (233.6°F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.0336 g/ml @ 20°C
Solubility	: Insoluble
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: <20 cPs @ 25°C
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Heat, sparks, open flame. Excess heat. Protect from sunlight. Do not freeze.

### 10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Rotenone (83-79-4)</b>	
LD50 oral rat	39.5 mg/kg female, LD50 102 mg/kg male
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	0.0212 mg/l/4h
<b>Benzyl alcohol (100-51-6)</b>	
LD50 oral rat	1620 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 4.2 mg/l/4h
<b>Solvent naphtha (64742-94-5)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 4.778 mg/l/4h
<b>Naphthalene (91-20-3)</b>	
LD50 oral rat	490 - 2600 mg/kg
LD50 dermal	> 2000 mg/kg
IARC group	2B - Possibly carcinogenic to humans

# Prenfish Fish Toxicant

## Safety Data Sheet

Naphthalene (91-20-3)	
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list?	Yes

GHS-US Properties	Classification
Acute toxicity (oral)	Toxic if swallowed.
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Fatal if inhaled.
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes eye irritation.
Respiratory or skin sensitization	Not classified
Germ cells mutagen	Not classified
Carcinogenicity	Suspected of causing cancer.
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	May cause drowsiness or dizziness. May cause respiratory irritation.
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

### Potential health effects

#### Inhalation

Acute : Fatal if inhaled. Causes respiratory irritation if sub-lethal doses are inhaled. May affect the central nervous system. Symptoms may include dizziness or drowsiness.

#### Skin

Acute : May cause skin irritation.

#### Eye

Acute : Causes serious eye irritation.

#### Ingestion

Acute : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema. Toxic if ingested.

**Mutagenicity** : Rotenone is not mutagenic.

**Carcinogenicity** : Naphthalene is listed as a suspected human carcinogen by NTP and IARC. No other component present at 0.1% or greater are listed by IARC, OSHA or NTP.

**Reproductive Effects** : Rotenone has been tested and does not cause birth defects. Rotenone does not have adverse effects on reproduction.

## SECTION 12: Ecological information

### 12.1. Toxicity

Rotenone (83-79-4)	
LC50 Acute fish 1	0.00194 mg/l (Exposure time: 96h - Rainbow trout)
EC50 Daphnia 1	0.0037 mg/l (Exposure time: 96h - Daphnia magna)
NOEC Chronic fish 1	0.00101 mg/l (Rainbow trout)
NOEC Chronic crustacea 1	0.00125 mg/l (Daphnia magna)

Benzyl alcohol (100-51-6)	
LC50 Acute fish 1	460 mg/l (Exposure time: 96h - Fathead minnow)
LC50 Acute fish 2	> 100 mg/l (Exposure time: 96h - Japanese kilifish)
LC50 Acute crustacea 1	230 mg/l (Exposure time: 48h - Daphnia magna)

### 12.2. Persistence and degradability

Rotenone (83-79-4)	
Persistence and degradability	Rotenone is not persistent in the environment and its low vapor pressure (6.9x10 <sup>-10</sup> torr) and Henry's Law constant (1.1x10 <sup>-13</sup> atm-m <sup>3</sup> mol <sup>-1</sup> ) limit its volatility. If released to water, rotenone generally degrades quickly through abiotic (hydrolytic and photolytic) mechanisms.

### 12.3. Bioaccumulative potential

# Prenfish Fish Toxicant

## Safety Data Sheet

Rotenone (83-79-4)	
Log Pow	4.1
Bioaccumulative potential	Rotenone has a relatively low potential for bioconcentrating in aquatic organisms.

### 12.4. Mobility in soil

Rotenone (83-79-4)	
Mobility in soil	Rotenone is mobile to moderately mobile in soil and sediment with a half-life of a few days to several weeks or longer depending on water temperature

### 12.5. Other adverse effects

Prenfish Fish Toxicant	
Ecological Fate	This product is extremely toxic to fish and other aquatic organisms.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.


## SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
<b>DOT</b>	UN2902	Pesticides, liquid, toxic, n.o.s. (Rotenone)	6.1	II	RQ: Naphthalene = 100 lbs. Marine pollutant
<b>IMDG</b>	UN2902	Pesticides, liquid, toxic, n.o.s. (Rotenone)	6.1	II	Marine pollutant
<b>IATA</b>	UN2902	Pesticides, liquid, toxic, n.o.s. (Rotenone)	6.1	II	Acute aquatic toxicity

Other Information : The calculated 1-hour acute toxicity for inhalation LC50 = 1.588 mg/L

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Benzyl alcohol (100-51-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Propylene Glycol (57-55-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Solvent naphtha (64742-94-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Naphthalene (91-20-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	0.1 %
PMRA Labelling	
PMRA Registration Number	89459-85
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
PMRA Pictogram	
PMRA Signal word	<b>Danger</b>
PMRA Precautionary Statement	KEEP OUT OF REACH OF CHILDREN.

# Prenfish Fish Toxicant

## Safety Data Sheet

PMRA Hazards to Humans and Domestic Animals	Fatal if swallowed or inhaled. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Do not breath spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.
PMRA First Aid	Call a poison control center or doctor immediately for further treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Symptoms of exposure include numbness, lethargy and incoordination. Decontamination, symptomatic and supportive treatment is recommended.
PMRA Environmental Hazards	This product is extremely toxic to fish and other aquatic organisms. Fish kills are expected at recommended rates. Consult your State Fish and Game Agency and other agencies before applying this product to public waters to determine if a permit is needed for such an application. Do not contaminate water outside of the treatment area by cleaning of equipment or disposal of equipment wash waters. Do not contaminate water outside of the treatment area, food or feed by storage or disposal. Do not discharge effluent containing this pesticide into sewage systems without notifying the sewage treatment plant authority (PTOW).
PMRA Physical Hazard	Combustible, Do not use or store near heat or open flame, Do not allow product to come into contact with oxidizing agents and/or strong acids

### 15.2. US State regulations

No additional information available

### SECTION 16: Other information

Date of issue : 06 October 2016  
Revision date : 20 February 2019  
Supersedes : 08 March 2018

Indication of changes:  
Revised Sec. 11.

SDS US (GHS HazCom 2012) - CGP

*The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.*