



Precor[®]

IGR Concentrate



PREVENTS ADULT FLEA EMERGENCE FOR UP TO 7 MONTHS

ACTIVE INGREDIENT:

(S)-Methoprene (CAS #65733-16-6) 1.2%

OTHER INGREDIENTS* 98.8%

TOTAL: 100.0%

*Contains petroleum distillates

EPA Reg. No. 2724-352

EPA Est. No. 2724-TX-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

INTRODUCTION

PRECOR[®] IGR CONCENTRATE (PRECOR[®]) acts on the immature life stages of the flea, preventing the adult flea from developing. Flea eggs deposited on, and larvae crawling onto treated areas will not develop into adult fleas. Existing adult fleas and flea pupae are not affected. If a high population of adult fleas (the biting stage) is present, tank-mix with an adulticide of choice that is EPA registered and properly labeled for flea control. To prevent infestations before they start, apply **PRECOR[®]** prior to flea season.

When applied to surfaces where fleas are found, such as carpets, upholstered furniture, and pet sleeping areas, **PRECOR[®]** prevents adult flea emergence for up to 7 months. Controlling fleas on pets is important to prevent introduction of adult fleas indoors. If fleas are a problem on pets, treat the pets with an effective EPA registered flea control product.

SPECIMEN LABEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-248-7763 for emergency medical treatment information.

NOTE TO PHYSICIAN: This product contains petroleum distillates. If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may not be used or referenced as a source of ingredient in the formulation, manufacture, or registration of any other products without prior written authorization from Wellmark International.

METHOD AND RATE OF APPLICATION

Prepare a diluted spray solution with a final (S)-Methoprene concentration of approximately 0.007%, by adding 1 fl oz of **PRECOR**[®] to 1 gallon of water. Partially fill the mixing container with ½ gallon of water, add **PRECOR**[®], shake well, and then add the remaining ½ gallon of water. Shake well before each use. When tank-mixing, follow the directions above except add the product to tank mix first, agitate, and then add **PRECOR**[®], agitate and complete filling of spray tank, and agitate once more.

Apply at a rate of 1 gallon of the diluted spray solution per 1500 sq ft of surface area with any low pressure sprayer with a fan tip that is typically used for indoor applications. Treat all areas harboring fleas, including carpets, furniture, pet sleeping and bedding areas, and throw rugs. Treat under cushions of upholstered furniture. Avoid contact with treated surfaces until dry.

When applying to upholstery where staining could be a concern, apply dilution to a small inconspicuous location to determine if possible staining could occur. Generally, **PRECOR**[®] will not stain

areas that would not be stained by water alone.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Storage: Store in a cool place away from heat or open flame. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling: Nonrefillable container.** Do not reuse this container. Clean container promptly after emptying. Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND CONDITIONS OF SALE

Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For more information, call **1-800-248-7763** or visit our Web site: **www.zoecon.com**.

Always read the label before using the product.

Produced for:

Wellmark International
1501 East Woodfield Road 200W
Schaumburg, Illinois 60173



Zoecon is a Wellmark International Brand. ZOECON and PRECOR are registered trademarks of Wellmark International.

October, 2017
Schaumburg, IL