

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Name : ExciteR 55 Aerosol
 Synonyms : 100538197, EPA Reg. No.: 89459-109, RF2292 PY

1.2. Recommended use and restrictions on use

Recommended use : Insecticide.
 Restrictions on use : Keep out of reach of children. Avoid all contact with skin, eyes, or clothing. Keep away from heat, sparks and flame. Use only in a well-ventilated area.

1.3. Supplier

Central Garden & Pet
 1501 E. Woodfield Road, Suite 200W
 Schaumburg, IL 60173 - United States
 www.zoecon.com

1.4. Emergency telephone number

Emergency number : 1-800-248-7763
 1-800-424-9300 - CHEMTREC
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable aerosol Category 2	Flammable aerosol
Gases under pressure Compressed gas	Contains gas under pressure; may explode if heated
Skin corrosion/irritation Category 2	Causes skin irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Specific target organ toxicity — Single exposure, Category 3, Narcosis	May cause drowsiness or dizziness
Aspiration hazard Category 1	May be fatal if swallowed and enters airways

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

: Danger

Hazard statements (GHS US) :

: Flammable aerosol
 Contains gas under pressure; may explode if heated
 May be fatal if swallowed and enters airways
 Causes skin irritation
 May cause an allergic skin reaction
 May cause drowsiness or dizziness

Precautionary statements (GHS US) :

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Do not spray on an open flame or other ignition source.
 Pressurized container: Do not pierce or burn, even after use.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash hands, forearms and face thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Immediately call poison center or doctor.
 IF ON SKIN: Wash with plenty of water.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 Call poison center or doctor if you feel unwell.
 Do NOT induce vomiting.

ExciteR 55 Aerosol

Safety Data Sheet

If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : This product is toxic to aquatic organisms, including fish and invertebrates. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Piperonyl Butoxide	(CAS-No.) 51-03-6	5
Pyrethrins	(CAS-No.) 8003-34-7	0.5
Distillates (petroleum), hydrotreated light	(CAS-No.) Trade secret	15.5
Propane	(CAS-No.) 74-98-6	7.34
Butane	(CAS-No.) 106-97-8	7.16
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician immediately. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic reaction in individuals with a sensitivity to piperonyl butoxide.

Symptoms/effects after ingestion : Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable aerosol.

Explosion hazard : Pressurized container. At temperatures above 130°F, container may rupture.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not use direct stream of water. A direct stream of water may spread fire. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray. In case of fire: Stop leak if safe to do so. Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

ExciteR 55 Aerosol

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Contents under pressure. Aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards. At temperatures above 130°F, container may rupture.

Emergency procedures : As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Keep away from fire, sparks, and heated surfaces. Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Use appropriate PPE.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing fumes. Use only in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. NFPA Aerosol Classification: Level 1.

Incompatible materials : Heat, sparks, open flame.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Pyrethrins (8003-34-7)		
ACGIH	ACGIH OEL TWA	5 mg/m ³
ACGIH	Remark (ACGIH)	Liver dam; LRT irr
OSHA	OSHA PEL TWA [1]	5 mg/m ³
IDLH	IDLH	5000 mg/m ³
NIOSH	NIOSH REL TWA	5 mg/m ³
Distillates (petroleum), hydrotreated light (Trade secret)		
ACGIH	ACGIH OEL TWA	Absorbed through skin. 200 mg/m ³ , (as total hydrocarbon vapor) 8 hours.
Propane (74-98-6)		
ACGIH	Remark (ACGIH)	Simple Asphyxiant
OSHA	OSHA PEL TWA [1]	1800 mg/m ³
OSHA	OSHA PEL TWA [2]	1000 ppm
IDLH	IDLH [ppm]	2100 ppm (10% LEL)
NIOSH	NIOSH REL TWA	1800 mg/m ³
NIOSH	NIOSH REL TWA [ppm]	1000 ppm
Butane (106-97-8)		
ACGIH	ACGIH OEL STEL [ppm]	1000 ppm
NIOSH	NIOSH REL TWA	1900 mg/m ³

ExciteR 55 Aerosol

Safety Data Sheet

Butane (106-97-8)

NIOSH

NIOSH REL TWA [ppm]

800 ppm

8.2. Appropriate engineering controls

- Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear chemical resistant gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear long sleeved shirt, long pants, socks and shoes

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: White aerosol spray
Color	: White
Odor	: Moderate hydrocarbon
Odor threshold	: No data available
pH	: 6.12 @ 25° C (concentrate)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 84° C (183.2° F) concentrate
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Flammable aerosol
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9564 @ 25° C
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Pressurized container: may burst if heated
Oxidizing properties	: Not applicable
VOC content	: 14.5 %
Flame extension	: 13.3 in
Heat of combustion	: 14.5 KJ/g

ExciteR 55 Aerosol

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Protect from sunlight.

10.5. Incompatible materials

Heat. Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. May decompose upon heating to produce toxic vapors/gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ExciteR 55 Aerosol	
Vaporizer	Aerosol

Piperonyl Butoxide (51-03-6)	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l

Pyrethrins (8003-34-7)	
LD50 oral rat	2370 mg/kg Adult male; 1030 mg/kg Adult female
LD50 dermal rat	2000 mg/kg
LC50 Inhalation - Rat	3.4 mg/l/4h

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

Potential health effects

Inhalation

Acute : May cause drowsiness and dizziness.

Skin

Acute : Causes skin irritation. May cause an allergic reaction in individuals with a sensitivity to piperonyl butoxide.

Eye

Acute : Under normal conditions of use, no health effects are expected.

ExciteR 55 Aerosol

Safety Data Sheet

Ingestion

Acute : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

Mutagenicity

: Pyrethrins were not found to be genotoxic and did not damage DNA in any study conducted which included: Ames assay, chromosome aberration in Chinese hamster ovaries (CHO) cells and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Piperonyl butoxide was not mutagenic in a battery of tests.

Carcinogenicity

: Pyrethrins are not listed as a carcinogen by OSHA, IARC, or NTP. Piperonyl butoxide is not classified as a carcinogen by IARC, NTP, OSHA.

Reproductive Effects

: Pyrethrins did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

SECTION 12: Ecological information

12.1. Toxicity

Piperonyl Butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l Rainbow trout
LC50 Acute fish 2	3.94 mg/l (Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l Gammarus fasciatus (amphipod)
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)
Pyrethrins (8003-34-7)	
LC50 Acute fish 1	0.0051 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	0.016 mg/l (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	0.0014 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0116 mg/l (Exposure time: 48h Daphnia)
NOEC Chronic fish 1	0.0019 mg/l (Fathead minnow)
NOEC Chronic fish 2	0.0059 mg/l (Sheepshead minnow - Estimated)
NOEC Chronic crustacea 1	0.00086 mg/l (Daphnia magna)
NOEC Chronic crustacea 2	0.0001 mg/l (Mysid shrimp - Estimated)

12.2. Persistence and degradability

Pyrethrins (8003-34-7)	
Persistence and degradability	Pyrethrins have low persistence in the environment due to rapid breakdown in presence of UV light.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Other adverse effects

ExciteR 55 Aerosol	
Ecological Fate	This product is toxic to aquatic organisms, including fish and invertebrates.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	UN1950	Aerosols, Flammable	2.1	Not applicable	RQ: Pyrethrins = 1 lb.
IMDG	UN1950	Aerosols, flammable (contains Pyrethrins and Piperonyl butoxide)	2.1	Not applicable	Marine pollutant

ExciteR 55 Aerosol

Safety Data Sheet

IATA	UN1950	Aerosols, flammable (contains Pyrethrins and Piperonyl butoxide)	2.1	Not applicable	Acute aquatic toxicity
------	--------	--	-----	----------------	------------------------

SECTION 15: Regulatory information

15.1. US Federal regulations

Piperonyl Butoxide (51-03-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
SARA Section 313 - Emission Reporting	1 %
Pyrethrins (8003-34-7)	
CERCLA RQ	1 lb listed under Pyrethrins
Distillates (petroleum), hydrotreated light (Trade secret)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Propane (74-98-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Butane (106-97-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA Labelling	
EPA Registration Number	89459-109
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Hazard statements	Caution
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
FIFRA Hazards to Humans and Domestic Animals	Contains Petroleum Distillate. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
FIFRA First aid	If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
FIFRA Environmental hazards	This product is toxic to aquatic organisms, including fish and invertebrates. See Directions for Use for additional precautions and requirements.
FIFRA Physical hazards	Flammable. Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Do not spray directly into electronic equipment, breakers or circuits; plastics, painted or varnished surfaces.

15.2. US State regulations

No additional information available

SECTION 16: Other information

Issue date : 23 September 2019
Revision date : 30 June 2023

Indication of changes:

Revised Sec. 7. Revised Sec. 9.

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.